BUILD

THORN Club Tour Mk5 with 700c wheels, derailleur gears and either straight or drop bars.

Builds 4a (straight bars) and 4b (drop bars)

Starting from around £2050

Issue 3

A Derailleur Club Tour, with 700c wheels, is a **superb bike for fast lightweight touring** on minor roads. The huge spread of gears that we provide with our wide range 30 speed set up gives riders confidence in their ability to tackle the steepest gradients - the no-nonsense build gives riders confidence in their bike's ability. **The Club Tour Mk4 was designed without compromise to show how good a**

Traditional Touring Bike could be.

With high quality 700 x35c tyres, it could be used throughout the week to commute to work, it could complete a 200km Audax (or CTC reliability ride) at the weekend, yet be still ready to carry all your kit on your annual summer cycle camping holiday. You are guaranteed a high quality ride, with superb handling.

Whilst the bike will be marginally quicker on good surfaces with 35c tyres, the option of 40c tyres extends the bike's ability on rough surfaces and provides more comfort.

Every one of the frame's 8 tubes is premium quality Reynolds 725 heat treated steel.

If front carriers are fitted, a Club Tour 700c is also more than capable of being used for **light to medium weight cycle camping**, however, care is needed if such adventures are undertaken on dirt roads.



SIZE 52L

Contact the Thorn Sales Team on: 01278 441505 Email: sales@thorncycles.co.uk

© Copyright 2021 - all rights reserved Thorn Cycles. Company no. 123142 VAT no. 406705370

Build 4a Club Tour 700c straight bars.

There's a choice between disc brakes F&R or having a rear disc brake and a V front brake.

If you choose F&R discs, the bike is supplied with the appropriate **Thorn Mk3 110 x 15mm through axle Boost Steel Disc fork**, which is fitted with bosses for the direct fitting of mudguards and for attaching a front carrier if/when required. **Note:** a disc fork is always heavier and less comfortable than a V brake fork.

If you choose to have a rear disc brake and a V front brake, you have the choice of either our exceptionally comfortable standard V brake fork, which also has provision for the direct fitting of mudguards and attaching a front carrier, or our Reynolds 853 fork. The 853 fork is lighter and even more comfortable but is more expensive and **cannot** be used with a front carrier but it still has the fittings for the direct fitting of mudguards.

| We believe that the nicest spec for customers looking for a high quality lightweight bike for day rides and some B&B touring is: Thorn 853 fork + rear disc brake and a V front brake | If you wish to have F&R V brakes, we can oblige, with Thorn Standard fork with F&R V brakes the spec and options are the same as those on the left but the | | | | | |
|---|---|--|--|--|--|--|
| Wheels Deore Black front hub. DT Swiss TK 540 32h 700c rim. Deore black rear disc cassette hub. Converter centre lock to 6 bolt. DT Swiss TK 540 32h 700c disc rim. TyresSchwalbe Marathon Supreme 35c or 40c tyres + tubes and tapes or upgrade to tubeless — Schwalbe Marathon Supreme 35c or 40c, Schwalbe HS472 G-One speed 40c, Schwalbe HS 473 G-One Allround 40c or Schwalbe HS473 G-One bite 40c. Or for the ultimate tyre for fast B road cycling, Schwalbe G-One speed 30c. All tubeless options now use ultra lightweight tubes | rear wheel is for rim brakes. Deore black rear disc cas- sette hub. DT Swiss TK 540 32h 700c rim. BrakesFront and Rear Shimano Deore V brakes and levers. There is the additional option of adding a Thorn Lo-loader front carrier. | | | | | |
| with sealant. For heavier duty use choose Schwalbe Marathon Almotion 40c. | With a Thorn Mk3 110 x 15mm through axle | | | | | |
| Brakes FShimano Deore V brake. RTRP Spyke cable operated disc brake with TRP rotor. LeversShimano Deore. | Boost Steel Disc fork, the spec and options are | | | | | |
| Bars Thorn Flat Track bars 580mm (or cut to suit). GripsErgon GP5L. StemKalloy AS-009 UNO (or similar) to suit customer's set up dimensions. Shimano Deore Rapidfire shifters. | the same as the Standard fork spec on the left except for the wheels, and brakes. Wheels Deore Boost (110 x 15mm through axle) centre lock front | | | | | |
| Gearing Exclusive Shimano Deore 48/36/26 chainset 170mm (or 175mm length to suit customer's dimensions) Shimano 10sp 11-36 cassette and a high quality chain. | hub HB6010. Converter centre lock to 6 bolt. DT Swiss R500 DB 32h 700c rim. Deore black rear disc | | | | | |
| Accessories2 x Profile bottle cages, SKS black mudguards, Tubus Vega Cro-Mo rear carrier plus Thorn Lo-Loader front carrier (Option to fit Tubus Airy Ti carrier instead. Option for the neat installation of the superb Moon Pulsar rear LED light) | cassette hub. Converter centre lock to 6 bolt. DT Swiss R500 DB 32h 700c rim. BrakesFront and Rear TRP Spyke cable operated | | | | | |
| Saddle Thorn Velo saddle, men's or women's (as appropriate) or option to have no saddle or any other saddle stocked by SJS Cycles. | disc brakes, with TRP rotors. LeversShimano Deore. | | | | | |
| | | | | | | |

Build 4b Club Tour 700c drop bars. For those who prefer to have drop bars, with a reasonably sporty position, we have similar options to those given in the straight bar options.

| With drop bars and Thorn 853 fork + rear disc brake and a V front brake, the spec is as above except for: Brakes FrontShimano compact V brake with lead pipe with adjuster. RearTRP Spyre cable operated disc brake with TRP rotor. LeversTiagra STI | With Thorn Standard fork with F&R Compact V brakes the spec and options are the same as that on the left but the rear wheel is for rim brakes. Deore black rear disc cassette hub. DT Swiss TK 540 32h 700c rim. BrakesFront and Rear Shimano Compact V brakes. | | | | | |
|---|---|--|--|--|--|--|
| Bars 44cm drop bars with appropriate stem. Shimano 105 ST-700 10sp STI shifters | With a Thorn Mk3 110 x 15mm through axle Boost Steel Disc fork , the spec and options are the same as the Standard fork spec above, except for the wheels and brakes. | | | | | |
| You may specify the appropriate Son Dyno hub instead of the listed hub, whichever specification you choose. | WheelsDeore Boost (110 x 15mm through axle) centre lock front hub HB6010. Converter centre lock to 6 bolt. DT Swiss R500 DB 32h 700c rim. Deore black rear disc cassette hub. Converter centre lock to 6 bolt. DT Swiss R500 DB 32h 700c rim. BrakesFront and Rear TRP Spyre cable operated disc brakes, with TRP rotors. LeversTiagra STI shifters. | | | | | |

THORND

We certainly didn't know that we were designing a time-trial bike, when we created our previous Club Tour!

But Scott Napier bought a Club Tour from us and then used it to become the new

Guinness World Record Holder,

for cycling the

Pan American Highway.

14,050 miles from Alaska to Tierra del Fuego in 125 days - Scott smashed 15 days off the previous record!

Here's Scott's own account - remember he bought his Club Tour with his own money. We didn't sponsor him and he rode unsupported - this is probably the sporting achievement of the century!

"To break the world record for cycling the length of the Americas I chose a Thorn Club Tour. Purchasing the bike was simple and easy. I spoke with Robin on the phone and discussed the various options for the groupset, wheels, etc. Robin's experience was extremely valuable in making these choices. I found the Club Tour to be strong, but not excessively heavy, a perfect blend for going fast with a fairly beefy load. During the 14,000 mile cycle I was continually impressed with the level of comfort afforded to me by the Club Tour. Despite spending upwards of 10 hours in the saddle every day for 125 days I had virtually no shoulder or back pain of note. For me, the Thorn Club Tour provides everything you would need for one of the world's longest time trials: strength, reliability, comfort and value for money. Who would have thought having a Thorn stuck between my legs would be so pleasurable..." Scott Napier 15-1-2010

If you are looking for a multi-functional derailleur bike and you wish to ride with 700c wheels, the NEW Club Tour Mk5 is every bit as good and is built with the same care and attention as the Club Tour that Scott rode on his amazing ride.

Scott is still riding this bike today!









THORN CLUB TOUR Mk5 BIKE GEOMETRY

All dimensions except frame sizes are given in mm.

Frames include high quality FSA aerospace bearing headset and nice quality 27.2mm micro adjustable seat post.

| MODEL | SIZE In cm | FRAME TUBE DIAMETERS | SEAT TUBE C to C | SLOPE | HEAD TUBE | VIRTUAL TOP TUBE C to C | BB Drop | SEAT ANGLE In degrees | CHAIN STAY | FORK OFFSET | MIDTUBE Standover HEIGHT | S/O at front of top tube |
|--|---------------|---|------------------------|-------|--------------|-------------------------------|------------|-----------------------------|---------------|----------------|--------------------------------|--------------------------------|
| | 50S | STANDARD OVERSIZED FRAME | 410 | 90 | 109 | 530 | 70 | 74° | 436 | 55 | 740 | 765 |
| CLUB TOUR | 50L | | 410 | 90 | 105 | 565 | 70 | 73.5° | 441 | 50 | 740 | 765 |
| Mk5 | Mk5 52S | TUBES 28.6 top tube | 440 | 80 | 125 | 540 | 70 | 73.5° | 436 | 55 | 755 | 785 |
| 700c | 52L | 28.6 seat tube 31.8 down tube 16 seat stays .9/.6/.9 gauge | 440 | 80 | 117 | 580 | 70 | 73° | 444 | 50 | 755 | 785 |
| 7000 | 55S | | 480 | 70 | 154 | 550 | 70 | 73° | 439 | 55 | 785 | 825 |
| | 55L | | 480 | 70 | 144 | 590 | 70 | 72.5° | 447 | 46 | 785 | 815 |
| REYNOLDS 725 | 58S | | 520 | 60 | 188 | 560 | 65 | 73° | 439 | 50 | 820 | 842 |
| Double butted Heat treated Cro-Mo frame & | 58L | | 520 | 60 | 179 | 600 | 65 | 72.5° | 450 | 46 | 820 | 842 |
| stays | 61S | | 560 | 50 | 214 | 575 | 65 | 72.5° | 441 | 50 | 850 | 865 |
| | 61L | | 560 | 50 | 205 | 615 | 65 | 72° | 453 | 46 | 850 | 865 |

Bike luggage carrying capabilities.

You can add a 2kg bar bag + up to 3 x 1litre (1kg) bottles.

Please note that it's our opinion that "relaxed sweet handling" is seldom achievable with a 2kg bar bag.

| OVERALL WEIGHT LIMIT | F | AIRLY GOOD QUAL SEALED ROADS | | ROUGH DIRT ROADS/OFFROAD With due care and attention | | | | |
|--|--|---|--|--|---|--|--|--|
| RIDER + LUGGAGE 130kg 120kg with 853 fork | MAX POSSIBLE on FRONT AND REAR RACKS. Care may be needed out of the saddle. | RECOMMENDED MAX on FRONT and REAR RACKS for RELAXED, SWEET HANDLING | RECOMMENDED MAX REAR ONLY loads for RELAXED, SWEET HANDLING | MAX POSSIBLE on FRONT AND REAR RACKS. Care may be needed out of the saddle. | RECOMMENDED MAX on FRONT and REAR RACKS for RELAXED, SWEET HANDLING | RECOMMENDED MAX REAR ONLY loads for RELAXED, SWEET HANDLING | | |
| CLUB TOUR Mk5 700c | 35 Kg | 25 Kg | 18 Kg | 25 Kg | 18 Kg | 12 Kg | | |

CLICK HERE Links to other For "THORN TOURING BIKE BIBLE" This is a 24mb file; it may take considerable time for it to open documents. **CLICK HERE JH** For "LIVING WITH a ROHLOFF HUB" This is a 35mb file; it may take considerable time for it to open, please be patient.

All of our solo bikes are available in 4 colours - however, it's always the case that some colours in some sizes will sell out. The frames and forks are all ED coated and given a primer, before a coat of Du Pont Imron twin pack paint is applied and cured. A twin pack lacquer is then applied and cured. Our decals are now high quality self-adhesive decals and replacements are available. Please note that because Imron is twin pack, we can't supply touch up paint.

The 4 colours are as follows:

Gunmetal

(Deep lustre and tasteful)

(Glossy and stealthy)

BRG

Thorn Blue (Tastefully bright)

Blood Red

(In your face and obviously quicker)